





















- Hipfner, J.M., Gaston, A.J. 1999b. The relationship between egg size and posthatching development in the Thick-billed Murre. *Ecology* 80: 1289-1297.
- Hipfner, J.M., Gaston, A.J., Martin, D.L., Jones, I.L. 1999. Seasonal declines in replacement egg-layings in a long-lived, Arctic seabird: costs of late breeding or variation in female quality? *J. Anim. Ecol.* 68: 988-998.
- Hobson, K.A. 1999. Stable-carbon and nitrogen isotope ratios of songbird feathers grown in two terrestrial biomes: Implications for evaluating trophic relationships and breeding origins. *Condor* 101: 799-805.
- Hobson, K.A., Drever, M.C., Kaiser, G.W. 1999. Norway rats as predators of burrow-nesting seabirds: insights from a stable isotope analysis. *J. Wildl. Manage.* 63: 14-25.
- Hobson, K.A., Schieck, J. 1999. Changes in bird communities in boreal mixedwood forest: harvest and wildfire effects over 30 years. *Ecol. Appl.* 9: 849-863.
- Hochachka, W.M., Wells, J.V., Rosenberg, K.V., Tessaglia-Hymes, D.L., Dhondt, A.A. 1999. Irruptive migration of Common Redpolls. *Condor* 101: 195-204.
- Holder, K., Montgomerie, R., Friesen, V.L. 1999. A test of the glacial refugium hypothesis using patterns of mitochondrial and nuclear DNA sequence variation in rock ptarmigan (*Lagopus mutus*). *Evolution* 53: 1936-1950.
- Holroyd, G., Duxbury, J. 1999. Travels of Peregrine #5735. *Blue Jay* 57: 146-149.
- Houston, C.S. 1999a. Dispersal of Great Horned Owls banded in Saskatchewan and Alberta. *J. Field Ornithol.* 70: 343-350.
- Houston, C.S. 1999b. Decline in Upland Sandpiper populations: history and interpretations. *Blue Jay* 57: 136-142.
- Houston, C.S., Fung, K.I. 1999. Saskatchewan's first Swainson's Hawk with satellite radio. *Blue Jay* 57: 69-72.
- Houston, C.S., McGowan, K.J. 1999. The westward spread of the Barred Owl. *Blue Jay* 57: 190-195.
- Hurly, A.T., Oseen, M.D. 1999. Context-dependent, risk-sensitive foraging preferences in wild rufous hummingbirds. *Anim. Behav.* 58: 59-66.
- Keller, C.M.E., Scallan, J.T. 1999. Potential roadside biases due to habitat changes along Breeding Bird Survey routes. *Condor* 101: 50-57.
- Klicka, J., Zink, R.M., Barlow, J.C., McGillivray, W.B., Doyle, T.J. 1999. Evidence supporting the recent origin and species status of the Timberline Sparrow. *Condor* 101: 577-588.
- Kuiken, T., Fox, G.A., Danesik, K.L. 1999. Bill malformations in double-crested cormorants with low exposure to organochlorines. *Env. Toxicol. Chem.* 18: 2908-2913.
- Kuiken, T., Leighton, F.A., Wobeser, G., Wagner, B. 1999. Causes of morbidity and mortality and their effect on reproductive success in double-crested cormorants from Saskatchewan. *J. Wildl. Dis.* 35: 331-346.
- Kuiken, T., Wobeser, G., Leighton, F.A., Haines, D.M., Chelack, B., Bogdan, J., Hassard, L., Heckert, R.A., Riva, J. 1999. Pathology of Newcastle disease in double-crested cormorants from Saskatchewan, with comparison of diagnostic methods. *J. Wildl. Dis.* 35: 8-23.
- Lang, A.L., Andress, R.A., Martin, P.A. 1999. Prey remains in Bald Eagle, *Haliaeetus leucocephalus*, pellets from a winter roost in the upper St. Lawrence River, 1996 and 1997. *Can. Field-Nat.* 113: 621-626.
- Lavoie, M., Mikaelian, I., Sterner, M., Villeneuve, A., Fitzgerald, G., McLaughlin J.D., Lair, S., Martineau, D. 1999. Respiratory nematodiasis in raptors in Quebec. *J. Wildl. Dis.* 35: 375-380.
- Lepage, D., Desrochers, A., Gauthier, G. 1999. Seasonal decline of growth and fledging success in Snow Geese *Anser caerulescens*: an effect of date or parental quality? *J. Avian Biol.* 30: 72-78.
- Lougheed, L.W., Breault, A., Lank, D.B. 1999. Estimating statistical power to evaluate ongoing waterfowl population monitoring. *J. Wildl. Manage.* 63: 1359-1369.
- Lozano, G.A., Lemon, R.E. 1999. Effects of prior residence and age on breeding performance in Yellow Warblers. *Wilson Bull.* 111: 381-388.
- MacCluskie, M.C., Sedinger, J.S. 1999. Incubation behavior of Northern Shovelers in the subarctic: a contrast to the prairies. *Condor* 101: 417-421.
- Martinez, R., Wobeser, G. 1999. Immunization of ducks for type C botulism. *J. Wildl. Dis.* 35: 710-715.
- Mawhinney, K., Diamond, T. 1999a. Sex determination of Great Black-backed Gulls using morphometric characters. *J. Field Ornithol.* 70: 206-210.
- Mawhinney, K., Diamond, A.W. 1999b. Using radio-transmitters to improve estimates of gull predation on Common Eider ducklings. *Condor* 101: 824-831.
- Mawhinney, K., Diamond, A.W., Kehoe, F.P. 1999. The use of energy, fat, and protein reserves by breeding Great Black-backed Gulls. *Can. J. Zool.* 77: 1459-1464.
- Mawhinney, K., Diamond, A.W., Kehoe, P., Benjamin, N. 1999. Status and productivity of Common Eiders in relation to the status of Great Black-backed Gulls and Herring Gulls in the southern Bay of Fundy and the northern Gulf of Maine. *Waterbirds* 22: 253-262.
- McKinnon, D.T., Duncan, D.C. 1999. Effectiveness of dense nesting cover for increasing duck production in Saskatchewan. *J. Wildl. Manage.* 63: 382-389.
- McLaren, M.A., Cadman, M.D. 1999. Can novice volunteers provide credible data for bird surveys requiring song identification? *J. Field Ornithol.* 70: 481-490.
- McMaster, D.G., Sealy, S.G. 1999. Do Brown-headed Cowbird hatchlings alter adult Yellow Warbler behavior during the hatching period? *J. Field Ornithol.* 70: 365-373.
- McMaster, D.G., Sealy, S.G., Gill, S.A., Neudorf, D.L. 1999. Timing of egg laying in Yellow Warblers. *Auk* 116: 236-240; & Erratum, *Auk* 116: 855.
- Miller, E.H., Walters, E.L., Ouellet, H. 1999. Plumage, size, and sexual dimorphism in the Queen Charlotte Islands Hairy Woodpecker. *Condor* 101: 86-95.









